




LT2401



Materials

Solid brass

Stem

Brass unibody design provides enclosed, water resistant wireway

Shroud

Stamped brass. Reflective powder coat interior.

Collar

Machined brass

Lens

Shock resistant, frosted glass lens

Lamp


For use with a halogen lamp up to 50W G4 Lamp. LT Tech LED G4 lamps are available in 2W, 3W and 4W, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2402



Materials

Solid brass

Stem

Brass unibody design provides enclosed, water resistant wireway

Shroud

Stamped brass. Reflective powder coat interior.

Collar

Machined brass

Lens

Shock resistant, frosted glass lens

Lamp


For use with a halogen lamp up to 50W G4 Lamp. LT Tech LED G4 lamps are available in 2W, 3W and 4W, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2403



Materials

Solid brass

Stem

Brass unibody design provides enclosed, water resistant wireway

Shroud

Stamped brass. Reflective powder coat interior.

Collar

Machined brass

Lens

Shock resistant, frosted glass lens

Lamp


For use with a halogen lamp up to 50W G4 Lamp. LT Tech LED G4 lamps are available in 2W, 3W and 4W, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2404



Materials

Solid brass

Stem

Brass unibody design provides enclosed, water resistant wireway

Shroud

Stamped brass. Reflective powder coat interior.

Collar

Machined brass

Lens

Shock resistant, frosted glass lens

Lamp


For use with a halogen lamp up to 50W G4 Lamp. LT Tech LED G4 lamps are available in 2W, 3W and 4W, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2405



Materials

Solid brass

Stem

Brass unibody design provides enclosed, water resistant wireway

Shroud

Stamped brass. Reflective powder coat interior.

Collar

Machined brass

Lens

Shock resistant, frosted glass lens

Lamp

For use with a halogen lamp up to 50W G4 Lamp. LT Tech LED G4 lamps are available in 2W, 3W and 4W, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2406



Materials

Solid brass

Stem

Brass unibody design provides enclosed, water resistant wireway

Shroud

Stamped brass. Reflective powder coat interior.

Collar

Machined brass

Lens

Shock resistant, frosted glass lens

Lamp


For use with a halogen lamp up to 50W G4 Lamp. LT Tech LED G4 lamps are available in 2W, 3W and 4W, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2411



Materials

Solid brass

Stem

Brass unibody design provides enclosed, water resistant wireway

Shroud

Stamped brass. Reflective powder coat interior.

Collar

Machined brass

Lens

Shock resistant, frosted glass lens

Lamp


For use with a halogen lamp up to 50W G4 Lamp. LT Tech LED G4 lamps are available in 2W, 3W and 4W, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2412



Materials

Solid brass

Stem

Brass unibody design provides enclosed, water resistant wireway

Shroud

Stamped brass. Reflective powder coat interior.

Collar

Machined brass

Lens

Shock resistant, frosted glass lens

Lamp


For use with a halogen lamp up to 50W G4 Lamp. LT Tech LED G4 lamps are available in 2W, 3W and 4W, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2413



Materials

Solid brass

Stem

Brass unibody design provides enclosed, water resistant wireway

Shroud

Stamped brass. Reflective powder coat interior.

Collar

Machined brass

Lens

Shock resistant, frosted glass lens

Lamp


For use with a halogen lamp up to 50W G4 Lamp. LT Tech LED G4 lamps are available in 2W, 3W and 4W, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2414



Materials

Solid brass

Stem

Brass unibody design provides enclosed, water resistant wireway

Shroud

Stamped brass. Reflective powder coat interior.

Collar

Machined brass

Lens

Shock resistant, frosted glass lens

Lamp

For use with a halogen lamp up to 50W G4 Lamp. LT Tech LED G4 lamps are available in 2W, 3W and 4W, in 2700K and 3000K.

Warranty

Limited lifetime warranty