




LT2101



Materials

Cast brass.

Body

Precision machined from solid brass casting;
Enclosed and water resistant wireway.

Shroud

Precision machined and comes with a factory sealed socket resistant glass lens to prevent water intrusion. Accepts up to one additional lens/hex cell accessory.

Knuckle

Machined brass knuckle with a solid brass adjustable thumb screw. Vertical tilt 270° and horizontal rotation of 360° for easy aiming.

Lens

Clear convex glass lens

Gasket


High-temperature silicone gasket for a water-tight seal.

Lamp

For use with a halogen lamp up to 50W MR16 Lamp. LT Tech LED lamps are available in 4W, 5W and 6W MR16, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2102

Materials

Die-cast brass

Body

Precision machined from solid brass casting;
Enclosed and water resistant wireway.

Shroud

Precision machined and comes with a factory sealed
socket resistant glass lens to prevent water intrusion.
Accepts up to one additional lens/hex cell accessory.

Knuckle

Machined brass knuckle with a solid brass adjustable
thumb screw. Vertical tilt 270° and horizontal rotation
of 360° for easy aiming.

Lens

Clear convex glass lens

Gasket

High-temperature silicone o-ring for a
water-tight seal.

Lamp


For use with a halogen lamp up to 50W MR16
Lamp. LT Tech LED lamps are available in 4W,
5W and 6W MR16, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2103



Materials

Die-cast brass

Body

Precision machined from solid brass casting;
Enclosed and water resistant wireway.

Shroud

Precision machined and comes with a factory sealed
socket resistant glass lens to prevent water intrusion.
Accepts up to one additional lens/hex cell accessory.

Knuckle

Machined brass knuckle with a solid brass adjustable
thumb screw. Vertical tilt 270° and horizontal rotation
of 360° for easy aiming.

Lens

Clear flat glass lens

Gasket

High-temperature silicone o-ring for a
water-tight seal.

Lamp


For use with a halogen lamp up to 50W MR11
Lamp. LT Tech LED lamps are available in 2.5W
MR11, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2104



Materials

Die-cast brass

Body

Precision machined from solid brass casting;
Enclosed and water resistant wireway.

Shroud

Precision machined and comes with a factory sealed
socket resistant glass lens to prevent water intrusion.
Accepts up to one additional lens/hex cell accessory.

Knuckle

Machined brass knuckle with a solid brass adjustable
thumb screw. Vertical tilt 270° and horizontal rotation
of 360° for easy aiming.

Lens

Clear flat glass lens

Gasket


High-temperature silicone o-ring for a
water-tight seal.

Lamp

For use with a halogen lamp up to 50W MR8
Lamp. LT Tech LED lamps are available in 2.5W
MR8, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2105

Materials

Die-cast brass

Body

Precision machined from solid brass casting;
Enclosed and water resistant wireway.

Shroud

Precision machined and comes with a factory sealed
socket resistant glass lens to prevent water intrusion.
Accepts up to one additional lens/hex cell accessory.

Knuckle

Machined brass knuckle with a solid brass adjustable
thumb screw. Vertical tilt 270° and horizontal rotation
of 360° for easy aiming.

Lens

Clear convex glass lens

Gasket

High-temperature silicone o-ring for a
water-tight seal.

Lamp


For use with a halogen lamp up to 50W MR16
Lamp. LT Tech LED lamps are available in 4W,
5W and 6W MR16, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2106



Materials

Die-cast brass

Body

Precision machined from solid brass casting;
Enclosed and water resistant wireway.

Shroud

Precision machined and comes with a factory sealed socket resistant glass lens to prevent water intrusion. Accepts up to one additional lens/hex cell accessory.

Knuckle

Machined brass knuckle with a solid brass adjustable thumb screw. Vertical tilt 270° and horizontal rotation of 360° for easy aiming.

Lens

Clear flat glass lens

Gasket

High-temperature silicone o-ring for a water-tight seal.

Lamp


For use with a halogen lamp up to 50W MR16 Lamp. LT Tech LED lamps are available in 4W, 5W and 6W MR16, in 2700K and 3000K.

Warranty

Limited lifetime warranty



LT2108



Materials

Die-cast brass

Body

Precision machined from solid brass casting;
Enclosed and water resistant wireway.

Shroud

Precision machined and comes with a factory sealed
socket resistant glass lens to prevent water intrusion.
Accepts up to one additional lens/hex cell accessory.

Knuckle

Machined brass knuckle with a solid brass adjustable
thumb screw. Vertical tilt 270° and horizontal rotation
of 360° for easy aiming.

Lens

Clear convex glass lens

Gasket

High-temperature silicone o-ring for a
water-tight seal.

Lamp

For use with a halogen lamp up to 50W MR16
Lamp. LT Tech LED lamps are available in 4W,
5W and 6W MR16, in 2700K and 3000K.

Warranty

Limited lifetime warranty